

# TOP

PLAST  
SIEKIERCZYN




- ▶ **WINDOWS**
- ▶ **DOORS**
- ▶ **WINDOWSILLS**
- ▶ **BLINDS**




UPCV windows made from **VEKA** or **GEALAN** profiles benefit any house. The timelessly classic lines and slightly rounded contours of the profiles blend in perfectly with all architectural styles, whether modern or traditional, newly built or renovated. And the technology inside is a perfect match: complex multi-chamber profiles take advantage of the insulating properties of air to fulfil the most demanding heat retention requirements. So you will experience a comfortable, balanced atmosphere whatever the weather– and succeed in significantly reducing your heating bill.


- ✓ Slightly rounded contours give the Veka and Gealan profiles its classic look
- ✓ Best thermal insulation of up to  $U_w = 0,8 \text{ W/m}^2\text{K}$ , depending on the type of glazing, significantly reduces heating costs
- ✓ High-quality gaskets in elegant grey or black – the twin seal gaskets reliably keeps cold, draughts and damp at bay
- ✓ Galvanised metal reinforcement in accordance with Veka and Gealan reinforcement guidelines guarantee stability and long-lasting functionality
- ✓ 5-chamber profile with 70 mm or 6-chamber profile with 90 mm from VEKA and 6-chamber profile with 74 mm form GEALAN standard installation depth makes optimum use of the insulating




**PERFECTLINE**



**SWINGLINE**



**ALPHALINE**



**S8000 IQ**



# DOORS

Outside front doors are very important element every home. Our front doors, which we offer have a very rich base different motifs. You can choice our dors constructions or you can choice filling doors, which have a lot of extra details. Adequate choice depends only yours taste and liking.

**Front doors have to fill few very important functions such as:**

- ✓ safety
- ✓ aesthetic
- ✓ thermal
- ✓ acoustic
- ✓ comfort
- ✓ functionality

**Our major target is this, that our products must fill to this functions as best.**



# BLINDS

**B**linds are the best protection before sun, noise and intruders. In our offer we have external blinds, blinds combined with window and blinds to built-up. To use blinds as standard is mount belt, but we also mount special engine to operating this. Other option is special system to administer our blinds in house. This system can close our blinds in hours, which we program in this system. This solution is very comfortable.



Blinds combined  
with window




Blinds to built-up



External blinds


## PONZIO NT52



### System description:

The system with thermal insulation is assigned for accomplishing outside building elements rated to the RMG 2.1 material group. There are plenty of solutions for the window and door construction. The application of 16 mm thermal distance piece ensure correct dehydration. The width of frames and sashes is 52 – 60 mm.

## PONZIO NT60PE



### System description:

The three chamber window aluminium system with the structure analogous to NT 60PT system and posses hardware groove. Design of new profiles with groove allows application of variety of hardwares and facilitate their assembling. There are possibilities of using hardware for trapezium windows, arch windows, circular, lift - rotatable, lift – slidable and antiburglar windows. The width of sashes is 60 – 68 mm, and frames is 60 mm.


## PONZIO NT WOOD



### System description:

The aluminium - wood system with thermal insulation destined for accomplishing external building elements. Thanks to thermal insulating power profiles are rated to RMG 2.1 material group. The width of frame and sash is 62 - 85 mm. The distance pieces are straight and with omega shape with width 16 mm. The system joins the advantages of aluminium and wood, making structure resistant and good looking. Ready goods have exclusive character that satisfy the most demanding customers.

## PONZIO SLIDING 600



### System description:

The system is assigned for accomplishing internal and external building elements without thermal insulation. The basic use of the system are variety of sliding door and window structures. The width of frame and sash is 31 - 96 mm. The double and triple track frames are in the offer thanks to that the constructions with more sashes can be in one frame.

# Variety

## In colours, shapes and technology

VEKA and GEALAN profile section systems provide house and apartment owners with unlimited creativity in regard to design. In addition to convincing functionality, they have the great advantage that virtually every window shape can be constructed. The renovation and modernisation of old buildings can be realised without any problems. Even the strict regulations that apply to buildings of special historical or architectural interest are no problem because plastic windows can be manufactured in virtually all shapes, sizes and colours and can be opened and closed by any desired means.

